SENTINEL HOLDING
INSTITUT

SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

13373-10-1106

Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

Product group: Vacuums - Accessories & Tools

WÜRTH

Adolf Würth GmbH & Co. KG
Reinhold-Würth-Straße 12-17
74653 Künzelsau-Gaisbach

Product qualities:

- SHI Product Assessment 2024
- QNG Qualitätssiegel Nachhaltiges Gebäude
- DGNB NEW CONSTRUCTION 2023
- DGNB NEW CONSTRUCTION 2018
- BNB-BN NEUBAU V2015
- EU taxonomy
- BREEAM DE NEUBAU 2018
- LEED v4.1 (outside US)

CERTIFIED SUSTAINABLE PRODUCT
SHI PRODUCT PASSPORT
SENTINEL HOLDING INSTITUT
www.sentinel-holding.eu

Köttner

Helmut Köttner
Scientific Director
Freiburg, 31 March 2026

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

Contents

SHI Product Assessment 2024	1
QNG - Qualitätssiegel Nachhaltiges Gebäude	2
DGNB New Construction 2023	3
DGNB New Construction 2018	4
BNB-BN Neubau V2015	5
EU taxonomy	6
BREEAM DE Neubau 2018	7
LEED v4.1	8
Product labels	9
Legal notices	10
Technical data sheet/attachments	11

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Assessment
SHI Product Assessment		Beneficial

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien			QNG ready - Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	not applicable		Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	not applicable	not applicable	Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control			Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Assessment
EQ Credit: Low-Emitting Materials		Not relevant for assessment

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.

Product:
Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC

SHI Product Passport no.:
13373-10-1106

WÜRTH

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS TÜV SAAR

Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Industrie-Nass- und Trockensauger ISS 40-M AUTOMATIC



Universeller, baustellentauglicher Sicherheitssauger mit M-Zertifizierung und automatischer Filterabreinigung

Durchdachte Systemausstattung

- Staubklasse M-Zertifizierung garantierter Staubabscheidegrad von 99,9 % gemäß EN 60335-2-69
- Ablage- und Befestigungsmöglichkeit für Würth System-Koffer durch flachen Behälterkopf
- Zubehörteile am Gerät verstaut und immer griffbereit dank integrierte Aufbewahrung der Fugendüse und Werkzeugmuffe mit Schnellverbindungen, flexible Schlauch- und Netzkabelaufbewahrung
- Robuster Behälter mit Bumper und großen, stabilen Metallrollen ermöglichen einen optimalen Einsatz auf Baustellen
- Antistatisch vorbereitet, durch den geerdeten Anschlussstutzen und dem im Lieferumfang enthaltenen elektrisch leitendem Zubehör werden statische Aufladungen abgeleitet und somit ein sicherer Schutz gegen elektrostatische Aufladung gewährleistet

Komfortable Bedienung

- Einfache Bedienung und Steuerung der verschiedenen Funktionen wie Ein-/Aus-, 15 s-/60 s-Filterabreinigung-, Drehzahlregulierung- und Schlauchwahlschalter
- Benutzerfreundliches Arbeiten dank automatischer Powertool-Erkennung über eine mit Hall-Sensor ausgestattete Steckdose – der Sauger lässt sich direkt über das angeschlossene Elektrowerkzeug ansteuern

Automatisches Filterreinigungssystem

- Der Flachfaltenfilter wird durch einen Luftstoß je nach

Luftstrom	74 l/s
Unterdruck	23,7 kPa
Behälterinhalt	39 l
Leistung max.	1380 W
Kabellänge	7,5 m
Frequenz min./max.	50/60 Hz
Schalldruckpegel	68 dB
Schutzart IP	IP X4
Länge	560 mm
Breite	370 mm
Höhe	655 mm
Unterdruck (Turbine) max.	25,4 kPa

CL01_5004130127, Rev: 0.637, Stand: 20. 02. 2026


Wahl des Zeitintervalls (15 oder 60 Sekunden) automatisch gereinigt
- Gewährleistet ein langes unterbrechungsfreies Arbeiten
- Geringer Geräuschpegel
- Lange Filterstandzeiten
- Geringe Wartungskosten

- Erhältlich im Flottenmanagement ORSYfleet


3 Jahre Würth Maschinen Garantie auf Verschleißschäden.
Die aktuellen Würth Maschinen Garantiebedingungen sind zu beachten.

3 Jahre Gewährleistung auf Herstellungs- und Materialfehler
Ausgenommen sind Schäden, die auf einen unsachgemäßen Gebrauch, Überlastung oder Nichtbeachtung der Bedienungsanleitung zurückzuführen sind.

Art.-Nr. 0701 143 0
VE: 1



Nass- und Trockensauger


Antistatisch



Steckdose




Automatische Filterabreinigung




Staubklasse M



Behälterinhalt


Drehzahlregulierung und Schlauchwahlschalter, Industrie-Nass- und Trockensauger, ISS 40 M-AUTOMATIC


Powertool-Anschlussmuffe

Details/Anwendung

Ideal für gefährliche Stäube, z.B. Harthölzer, Plattenwerkstoffe, Farbstaubpartikel, Keramik, Beton und Ziegelstein. Kein Asbest!







CL01_5004130127, Rev: 0.637, Stand: 20. 02. 2026





Hinweis

- Beim Trockensaugen muss immer ein Staubbeutel und ein Faltenfilter verwendet werden. Nicht ohne Filtersystem saugen, da sonst der Saugmotor beschädigt wird und eine Gesundheitsgefährdung durch erhöhten Feinstaubausstoß erfolgt.
- Beim Nasssaugen ist ein PES-Flachfaltenfilter zu verwenden.
- Eine elektronische Luftströmungsüberwachung löst sobald der Luftstrom unter 20 m/s sinkt einen Signalton aus. Anschließend muss das Zubehör auf Verstopfung überprüft oder der Behälter geleert werden.

Lieferumfang Art.-Nr. 0701 143 0		
Bezeichnung	**Art.-Nr.**	**Anzahl**
Nass-/Trockenfiltertüte Vlies	**0702 400 072**	1
PE-Entsorgungsbeutel mit Spinnvlies	**0702 400 074**	1
Flachfaltenfilter beschichtet für ISS-Serie	**0702 400 191**	1
Universalanschlussmuffe elektrisch leitend	**0702 400 249**	1
Nass-/Trocken-Bodendüse	**0702 400 290**	1
Saugschlauch, elektrisch leitend 3 m		1
Kunststoff-Fugendüse für das Absaugen in beengten Stellen mit den Industrie-Nass- und Trockensaugern	**0702 400 390**	1
Verchromtes Saugrohr aus Metall für ISS- und TSS-Serie	**0702 400 520**	2
Krümmer elektrisch leitend für ISS- und TSS-Serie	**0702 400 730**	1

Ergänzende Produkte	**Art.-Nr.**
Nass-/Trocken-Bodendüse	**0702 400 290**
Verlängerungsschlauch aus Kunststoff für ISS- und TSS-Serie	**0702 400 314**
Verchromtes Saugrohr aus Metall für ISS- und TSS-Serie	**0702 400 520**

CI01_5004130127, Rev: 0.637, Stand: 20. 02. 2026