SENTINEL HOLDING
INSTITUT

SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

14792-10-1010

Gira Steckdose mit USB-Spannungsversorgung

Product group: Electrical installation - Other

GIRA

Gira Giersiepen GmbH & Co. KG
Dahlienstraße 12
42477 Radevormwald

Product qualities:

- SHI Product Assessment 2024 ✓
- QNG Qualitätssiegel Nachhaltiges Gebäude ✓
- DGNB NEW CONSTRUCTION 2023 ✓
- DGNB NEW CONSTRUCTION 2018 ✓
- BNB-BN NEUBAU V2015 ✓
- EU taxonomy ✓
- BREEAM DE NEUBAU 2018 ✓
- LEED v4.1 (outside US) ✓

CERTIFIED SUSTAINABLE PRODUCT
SHI PRODUCT PASSPORT
SENTINEL HOLDING INSTITUT
www.sentinel-holding.eu

Köttner

Helmut Köttner
Scientific Director
Freiburg, 18 March 2026

SENTINEL HOLDING
INSTITUT

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

Contents

SHI Product Assessment 2024	1
QNG - Qualitätssiegel Nachhaltiges Gebäude	2
DGNB New Construction 2023	3
DGNB New Construction 2018	4
BNB-BN Neubau V2015	5
EU taxonomy	6
BREEAM DE Neubau 2018	7
LEED v4.1	8
Product labels	9
Legal notices	10
Technical data sheet/attachments	11

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SENTINEL HOLDING
INSTITUT

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other products	TVOC ≤ 300 µg/m^3 Formaldehyd ≤ 24 µg/m^3	Indoor Air Quality Certified
Valid untill: 28 November 2027			

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien			QNG ready - Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	not applicable		Not relevant for assessment

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	not applicable		Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	not applicable	not applicable	Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt			Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control			Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality			Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Assessment
EQ Credit: Low-Emitting Materials		Not relevant for assessment

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.

This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.

Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, “Avoidance of Harmful Substances in Building Materials.” The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.

Product:
Gira Steckdose mit USB-Spannungsversorgung

SHI Product Passport no.:
14792-10-1010

GIRA

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

GIRA

Smart Home.
Smart Building.
Smart Life.

Gira | Postfach 1220 | 42461 Radevormwald | Deutschland

06.02.2023

Konformitätserklärung RoHS

Sehr geehrte Damen und Herren,

die Elektro- und Elektronikgeräte-Stoff-Verordnung (ElektroStoffV, zur Umsetzung der Richtlinie (EU) 2015/863 der Kommission vom 31.März 2015 [RoHS II]) verbietet das Inverkehrbringen von Elektro- und Elektronikgeräten im Sinne des § 2 Nr. 1 der ElektroStoffV, wenn darin homogene Werkstoffe verarbeitet sind, die einen oder mehrere der in der Verordnung genannten Stoffe in einer höheren als der zulässigen Höchstkonzentration enthalten.
Betroffen sind zum aktuellen Zeitpunkt Blei, Quecksilber, sechswertiges Chrom, polybromiertes Biphenyl (PBB), polybromierte Diphylenether (PBDE), Di(2-ethylhexyl)phthalat (DEHP), Buthylbenzylphthalat (BBP), Dibuthylphthalat (DBP) und Diisobutylphthalat (DIBP), die je homogenem Werkstoff die zulässige Höchstkonzentration von 0,1 Gewichtsprozent nicht überschreiten dürfen, sowie Cadmium, das nur bis zu einer Höchstkonzentration von 0,01 Gewichtsprozent je homogenem Werkstoff enthalten sein darf.
Die von Gira hergestellten Elektro- und Elektronikgeräte im Sinne der ElektroStoffV beinhalten keine der dort genannten Stoffe in einer höheren als der zugelassenen Höchstkonzentration, unter Berücksichtigung der Ausnahmen der Anhänge III und IV der RoHS-Richtlinie.

Mit freundlichen Grüßen



Christian Feltgen
Geschäftsführer

© Copyright by
Gira Giersiepen GmbH & Co. KG
Alle Rechte vorbehalten

SCHUKO-Steckdose 16 A 250 V~ mit erhöhtem Berührungsschutz (Safety Plus) und USB-Spannungsversorgung 2fach Typ A / Typ C



Spezifikation	Bestell-Nr.	VE	EUR/Stück o. MWSt.	PS	EAN
 Cremeweiß glänzend	2459 01	1	87,70	02	4010337076223
 Reinweiß glänzend	2459 03	1	87,70	02	4010337076179
 Reinweiß seidenmatt	2459 27	1	87,70	02	4010337076186
 Anthrazit	2459 28	1	89,23	02	4010337076285
 Farbe Alu	2459 26	1	96,57	02	4010337076193
 Schwarz matt	2459 005	1	96,57	02	4010337076209
 Grau matt	2459 015	1	96,57	02	4010337090151
 Edelstahl (lackiert)	2459 600	1	96,57	02	4010337076148

Abbildungen sind ähnlich und können vom Original abweichen.
Preise gültig für Deutschland mit Preisstand 11/24.

© Copyright by
Gira Giersiepen GmbH & Co. KG
Alle Rechte vorbehalten

www.partner.gira.de

Merkmale

- Lademöglichkeit für bis zu zwei Endgeräte gleichzeitig über USB-Kabel Typ A und Typ C.
- Es können bis zu zwei Endgeräte gleichzeitig geladen werden.

Technische Daten

Eingangsspannung:	AC 220 - 250 V, 50/60 Hz
USB-Anschluss:	1 x Typ A, 1 x Typ C
Ausgangsspannung USB:	DC 5 V
Ladestrom	
- USB A:	max. 2,4 A
- USB C:	max. 3 A
Stand-by:	≤80 mW
Anschlussquerschnitt	
- für Leiter von:	1,5 mm² bis 2,5 mm²
Einbautiefe:	31 mm
Umgebungstemperatur:	+5° C bis +35° C

Hinweise

- Erhöhter Berührungsschutz (Safety Plus) gemäß DIN VDE 0620-1.
- Bei langen Ladezyklen kann sich das Gehäuse des Produkts erwärmen.
- Verwendung einer tiefen Gerätedose empfohlen.

Lieferumfang

- USB-Kabel Typ A oder Typ C sind nicht im Lieferumfang enthalten.
