SENTINEL HOLDING
INSTITUT

# SHI PRODUCT PASSPORT

**Find products. Certify buildings.**

SHI Product Passport No.:

**14792-10-1013**

# Gira Standard 55 Designline

Product group: Electrical installation - Electrical switch programs

GIRA

Gira Giersiepen GmbH & Co. KG
Dahlienstraße 12
42477 Radevormwald

## Product qualities:

- QNG Qualitätssiegel Nachhaltiges Gebäude ✓
- DGNB NEW CONSTRUCTION 2023 ✓
- DGNB NEW CONSTRUCTION 2018 ✓
- BNB-BN NEUBAU V2015 ✓
- EU taxonomy ✓
- BREEAM DE NEUBAU 2018 ✓
- LEED v4.1 (outside US) ✓

CERTIFIED SUSTAINABLE PRODUCT
SHI PRODUCT PASSPORT
SENTINEL HOLDING INSTITUT
www.sentinel-holding.eu

Köttner

**Helmut Köttner**
Scientific Director
Freiburg, 30 March 2026

SENTINEL HOLDING
INSTITUT

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# Contents


| | |
|---|---|
| QNG - Qualitätssiegel Nachhaltiges Gebäude | 1 |
| DGNB New Construction 2023 | 2 |
| DGNB New Construction 2018 | 3 |
| BNB-BN Neubau V2015 | 4 |
| EU taxonomy | 5 |
| BREEAM DE Neubau 2018 | 6 |
| LEED v4.1 | 7 |
| Product labels | 8 |
| Legal notices | 9 |
| Technical data sheet/attachments | 10 |


The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SENTINEL HOLDING
INSTITUT

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

| Criteria | Pos. / product group | Considered substances | QNG assessment |
|---|---|---|---|
| 3.1.3 Schadstoffvermeidung in Baumaterialien | | | QNG ready - Not relevant for assessment |

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

| Criteria | No. / Relevant building components / construction materials / surfaces | Considered substances / aspects | Quality level |
|---|---|---|---|
| ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition) | not applicable | | Not relevant for assessment |

| Criteria | No. / Relevant building components / construction materials / surfaces | Considered substances / aspects | Quality level |
|---|---|---|---|
| ENV 1.2 Local environmental impact, 29.05.2025 (4th edition) | not applicable | | Not relevant for assessment |

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

| Criteria | No. / Relevant building components / construction materials / surfaces | Considered substances / aspects | Quality level |
|---|---|---|---|
| ENV 1.2 Local environmental impact | not applicable | not applicable | Not relevant for assessment |

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

| Criteria | Pos. / product type | Considered substance group | Quality level |
|---|---|---|---|
| 1.1.6 Risiken für die lokale Umwelt | | | Not relevant for assessment |

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

| Criteria | Product type | Considered substances | Assessment |
|---|---|---|---|
| DNSH - Pollution prevention and control | | | Not relevant for assessment |

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

| Criteria | Product category | Considered substances | Quality level |
|---|---|---|---|
| Hea 02 Indoor Air Quality | | | Not relevant for assessment |

Product:
# Gira Standard 55 Designline

SHI Product Passport no.:
**14792-10-1013**

GIRA

## LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

| Criteria | Product category | Assessment |
|---|---|---|
| EQ Credit: Low-Emitting Materials | | Not relevant for assessment |

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.

Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.

The C2C label identifies products whose design concept follows a "cradle-to-cradle" approach based on a closed raw material cycle, rather than merely offering simple recycling or disposal options. At the "Gold" and "Platinum" levels, emission criteria are also taken into account. However, the requirements are less strict than those necessary for the SHI Indoor Air Quality certification.

Product:
**Gira Standard 55 Designline**

SHI Product Passport no.:
**14792-10-1013**

GIRA

# Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

**Find our criteria here: https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte**

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS TÜV SAAR

## Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

GIRA

Smart Home.
Smart Building.
Smart Life.

Gira | Postfach 1220 | 42461 Radevormwald | Deutschland

06.02.2023

**Konformitätserklärung RoHS**

Sehr geehrte Damen und Herren,

die Elektro- und Elektronikgeräte-Stoff-Verordnung (ElektroStoffV, zur Umsetzung der Richtlinie (EU) 2015/863 der Kommission vom 31.März 2015 [RoHS II]) verbietet das Inverkehrbringen von Elektro- und Elektronikgeräten im Sinne des § 2 Nr. 1 der ElektroStoffV, wenn darin homogene Werkstoffe verarbeitet sind, die einen oder mehrere der in der Verordnung genannten Stoffe in einer höheren als der zulässigen Höchstkonzentration enthalten.
Betroffen sind zum aktuellen Zeitpunkt Blei, Quecksilber, sechswertiges Chrom, polybromiertes Biphenyl (PBB), polybromierte Diphylenether (PBDE), Di(2-ethylhexyl)phthalat (DEHP), Buthylbenzylphthalat (BBP), Dibuthylphthalat (DBP) und Diisobutylphthalat (DIBP), die je homogenem Werkstoff die zulässige Höchstkonzentration von 0,1 Gewichtsprozent nicht überschreiten dürfen, sowie Cadmium, das nur bis zu einer Höchstkonzentration von 0,01 Gewichtsprozent je homogenem Werkstoff enthalten sein darf.
Die von Gira hergestellten Elektro- und Elektronikgeräte im Sinne der ElektroStoffV beinhalten keine der dort genannten Stoffe in einer höheren als der zugelassenen Höchstkonzentration, unter Berücksichtigung der Ausnahmen der Anhänge III und IV der RoHS-Richtlinie.

Mit freundlichen Grüßen



Christian Feltgen
Geschäftsführer

CERTIFIED

cradle to cradle

BRONZE

# GIRA Giersiepen GmbH & Co. KG

has successfully achieved **Cradle to Cradle Certified® Bronze**
for the product(s) under the name:

# Standard 55; E2; F100

Please see the List of Certified Products (available on the Cradle to Cradle Certified Product Registry) for all products covered within this certificate.

Certification Number
6966

Standard Version
4.0

Lead Assessment Body
EPEA GmbH - Part of Drees & Sommer

Material Health Assessment Body
EPEA GmbH - Part of Drees & Sommer

Effective Date
13 January 2025

Expiration Date
12 January 2028

Elwyn Grainger-Jones
Executive Director
Cradle to Cradle Products Innovation Institute

See the Cradle to Cradle Certified Product Registry at www.c2ccertified.org for additional details
Use of the certification marks is subject to the terms and conditions of the C2CPII Certification Agreement and Trademark Use Guidelines.
Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute

cradle to cradle products innovation institute

List of Certified Products

Cradle to Cradle Certified® Bronze

# Standard 55; E2; F100

## GIRA Giersiepen GmbH & Co. KG

The following products are covered under this certification number 6966:

| Product Name | Model or Part Number | Manufacturing Site |
|---|---|---|
| E2 cover frame, pure white matt, 1-gang | 021122 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 1-gang | 021129 | Gira, Radevormwald |
| E2 cover frame, pure white matt, 2-gang | 021222 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 2-gang | 021229 | Gira, Radevormwald |
| E2 cover frame, pure white matt, 3-gang | 021322 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 3-gang | 021329 | Gira, Radevormwald |
| E2 cover frame, pure white matt, 4-gang | 021422 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 4-gang | 021429 | Gira, Radevormwald |
| E2 cover frame, pure white matt, 5-gang | 021522 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 5-gang | 021529 | Gira, Radevormwald |
| E2 cover frame, pure white matt, 1.5-gang | 100122 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 1.5-gang | 100129 | Gira, Radevormwald |
| E2 cover frame, pure white glossy, 2-gang, without crossbar | 100229 | Gira, Radevormwald |

Please see the Cradle to Cradle Certified Products Registry at www.c2ccertified.org for additional details, including the current certification status and list of certified products.
Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute.

cradle to cradle products innovation institute

| | | |
|---|---|---|
| E2 cover frame, pure white matt, 2-gang, without crossbar | 100222 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white matt, 1-gang | 0211225 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white glossy, 1-gang | 0211295 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white matt, 2-gang | 0212225 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white glossy, 2-gang | 0212295 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white matt, 3-gang | 0213225 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white glossy, 3-gang | 0213295 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white matt, 4-gang | 0214225 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white glossy, 4-gang | 0214295 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white matt, 2-gang, without crossbar | 1002225 | Gira, Radevormwald |
| E2 cover frame for flat installation, pure white glossy, 2-gang, without crossbar | 1002295 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 1-gang | 021103 | Gira, Radevormwald |


Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute

| | | |
|---|---|---|
| Standard 55 cover frames, pure white matt, 1-gang | 021104 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 2-gang | 021203 | Gira, Radevormwald |
| Standard 55 cover frames, pure white matt, 2-gang | 021204 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 3-gang | 021303 | Gira, Radevormwald |
| Standard 55 cover frames, pure white matt, 3-gang | 021304 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 4-gang | 021403 | Gira, Radevormwald |
| Standard 55 cover frames, pure white matt, 4-gang | 021404 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 5-gang | 021503 | Gira, Radevormwald |
| Standard 55 cover frames, pure white matt, 5-gang | 021504 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 1.5-gang | 100103 | Gira, Radevormwald |
| Standard 55 cover frames, pure white matt, 1.5-gang | 100104 | Gira, Radevormwald |
| Standard 55 cover frames, pure white glossy, 2-gang, without crossbar | 100203 | Gira, Radevormwald |
| Standard 55 cover frames, pure white matt, 2-gang, without crossbar | 100204 | Gira, Radevormwald |
| F100 cover frame, pure white glossy, 1-gang | 0211112 | Gira, Radevormwald |
| F100 cover frame, pure white glossy, 2-gang | 0212112 | Gira, Radevormwald |
| F100 cover frame, pure white glossy, 2-gang, without crossbar | 1002112 | Gira, Radevormwald |


Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute

| | | |
|---|---|---|
| F100 cover frame, pure white glossy, 3-gang | 0213112 | Gira, Radevormwald |
| F100 cover frame, pure white glossy, 4-gang | 0214112 | Gira, Radevormwald |
| F100 cover frame, pure white glossy, 5-gang | 0215112 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ Screw terminals, pure white glossy | 418003 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, screw terminals, pure white glossy | 418303 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, screw terminals, pure white matt | 418327 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~, plug terminals, pure white glossy | 418803 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~, plug terminals, pure white matt | 418827 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, without mounting claws, with screw terminals, pure white glossy | 438303 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, without mounting claws, with screw terminals, pure white matt | 438327 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with insert rotated by 30° and shutter, without mounting claws, pure white glossy | 441803 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with insert rotated by 30° and shutter, without mounting claws, matt | 441827 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ Screw terminals, pure white matt | 418027 | Gira, Radevormwald |


Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute

| | | |
|---|---|---|
| SCHUKO socket outlet 16 A 250 V~ with shutter, plug terminals, pure white glossy | 445303 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, plug terminals, pure white matt | 445327 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with imprint “EDV”, pure white glossy | 445803 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with imprint “EDV”, pure white matt | 445827 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ without mounting claws, pure white glossy | 446603 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ without mounting claws, pure white matt | 446627 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, without mounting claw, pure white glossy | 475503 | Gira, Radevormwald |
| SCHUKO socket outlet 16 A 250 V~ with shutter, without mounting claw, pure white matt | 475527 | Gira, Radevormwald |


Cradle to Cradle Certified is a registered trademark of the Cradle to Cradle Products Innovation Institute

© Copyright by
Gira Giersiepen GmbH & Co. KG
Alle Rechte vorbehalten

www.partner.gira.de

**Abdeckrahmen Gira Standard 55**
**Reinweiß glänzend**



| Spezifikation | Bestell-Nr. | VE | EUR/Stück o. MWSt. | PS | EAN |
|---|---|---|---|---|---|
|  1fach | 0211 03 | 10/100 | 3,09 | 21 | 4010337211037 |
|  1,5fach | 1001 03 | 10 | 4,17 | 01 | 4010337881308 |
|  2fach | 0212 03 | 10/100 | 5,28 | 21 | 4010337212034 |
|  2fach ohne Mittelsteg | 1002 03 | 10 | 3,90 | 01 | 4010337001607 |
|  3fach | 0213 03 | 10/100 | 9,31 | 01 | 4010337213031 |
|  4fach | 0214 03 | 1/5 | 16,10 | 01 | 4010337214038 |
|  5fach | 0215 03 | 1/5 | 26,48 | 01 | 4010337215035 |

**Merkmale**

- Bruchsicher.

Abbildungen sind ähnlich und können vom Original abweichen.
Preise gültig für Deutschland mit Preisstand 11/24.

© Copyright by
Gira Giersiepen GmbH & Co. KG
Alle Rechte vorbehalten



**Hinweise**

- Auch für Kanalinstallationen geeignet.
- Abdeckrahmen (1- bis 5fach) in Verbindung mit Dichtungsset auch für die Montage wassergeschützt Unterputz IP44 geeignet.

---