SENTINEL HOLDING
INSTITUT

SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15689-10-1000

Sockelleisten Modern

Product group: Skirting boards - Wood & Wood materials - Interior construction

Hocotimber

Hocotimber GmbH
Landshuter Str. 91
84307 Eggenfelden

Product qualities:

- SHI Product Assessment 2024
- QNG Qualitätssiegel Nachhaltiges Gebäude
- DGNB NEW CONSTRUCTION 2023
- DGNB NEW CONSTRUCTION 2018
- BNB-BN NEUBAU V2015
- EU taxonomy
- BREEAM DE NEUBAU 2018
- LEED v4.1 (outside US)

CERTIFIED SUSTAINABLE PRODUCT
SHI PRODUCT PASSPORT
SENTINEL HOLDING INSTITUT
www.sentinel-holding.eu

Köttner

Helmut Köttner
Scientific Director
Freiburg, 03 June 2026

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

Contents

SHI Product Assessment 2024	1
QNG - Qualitätssiegel Nachhaltiges Gebäude	2
DGNB New Construction 2023	3
DGNB New Construction 2018	5
BNB-BN Neubau V2015	6
EU taxonomy	7
BREEAM DE Neubau 2018	8
LEED v4.1	9
Product labels	10
Legal notices	11
Technical data sheet/attachments	11

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Wood materials	TVOC ≤ 300 µg/m^3 Formaldehyd ≤ 36 µg/m^3	Indoor Air Quality Certified
Valid untill: 26 January 2028			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	9.2 Wood-based materials (blockboard, fibreboard, veneer, and solid wood panels)	Formaldehyde / VOC / emissions / hazardous substances / SVHC: boron compounds	QNG ready - Not relevant for assessment

Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Holzleiste

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	47 Coated and uncoated wood-based materials: particle board, blockboard, veneer panels, fibreboard	Formaldehyde emissions	Quality level 4
Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	Coated and uncoated wood-based materials	VVOC, VOC, SVOC emissions	Quality level 4
Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.			

werkseitige Beschichtung (Furnierlack)

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	1 Coatings on non-mineral substrates: metals, wood, plastics	VVOC, VOC, SVOC Emissionen oder Gehalt	Quality level 4
Verification: VOC-Gehalt der werkseitigen Beschichtung 12,3 g/l laut Prüfbericht Nr. EU-VOC-2026001 vom 03.06.2026			

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	1 Coatings on non-mineral substrates: metals, wood, plastics	VVOC, VOC, SVOC Emissionen oder Gehalt	Quality level 4
Verification: VOC-Gehalt der werkseitigen Beschichtung 12,3 g/l laut Prüfbericht Nr. EU-VOC-2026001 vom 03.06.2026			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Holzleiste

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	47a Industrially manufactured products	Formaldehyde	Quality level 4
Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.			

werkseitige Beschichtung (Furnierlack)

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	1 Coatings on non-mineral subsurfaces	VOC	Quality level 4
Verification: VOC-Gehalt der werkseitigen Beschichtung 12,3 g/l laut Prüfbericht Nr. EU-VOC-2026001 vom 03.06.2026			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	41 Wood-based panels according to EN 13986, such as chipboard, plywood, fiberboard, medium-density fiberboard (MDF), plywood, solid wood panels, and OSB panels, as well as veneer plywood	VOC / formaldehyde / hazardous substances	Quality level 4
Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control		Substances according to Annex C	EU taxonomy compliant
Verification: Herstellererkärung vom 02.02.2026			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Wood-based products	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality
Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Considered substances	Assessment
EQ Credit: Low-Emitting Materials	Holzwerkstoffe	Emissionen: Formaldehyd, VOC, Krebserregende Stoffe	compliant
Verification: Prüfbericht eco-Institut Nr. 60624-A002-L vom 26.01.2026.			

SENTINEL HOLDING
INSTITUT

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.

Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, “Avoidance of Harmful Substances in Building Materials.” The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.

This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.

Product:
Sockelleisten Modern

SHI Product Passport no.:
15689-10-1000

Hocotimber®

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS TÜV SAAR

Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Hocotimber GmbH · Postfach 1110· D-84307 Eggenfelden

03.06.2026

Herstellererklärung

Sockelleisten Serie „Modern“
Massivholz Eiche furnierummantelt, matt lackiert

Hiermit bestätigen wir, dass

- der verwendete Klarlack **keine karzinogenen Stoffe der EU-Kategorie 1A und 1B** in messbarer Menge > 0,001 mg/m³ emittiert
- der gemessene **Formaldehydwert** <10 µg/m³ beträgt
- der **VOC-Gehalt nach EU-Decopaint-Richtlinie 12,3 g/l** beträgt

und der eingesetzte Lack somit alle Anforderungen der DGNB Qualitätsstufe 4 an werkseitige Beschichtungen erfüllt (V2023; Kriterium ENV 1.2; Zeile 1).

Hocotimber GmbH
Landshuter Straße 91
84307 Eggenfelden, Germany
Tel.: +49 8721 916 32-0
e-mail: info@hocotimber.com
www.hocotimber.com

Alexander Hubloger
Geschäftsführer

Anlage
Prüfbericht Nr. EU-VOC-2026001 vom 03.06.2026

Hocotimber GmbH
Landshuter Straße 91
D-84307 Eggenfelden

Sitz: Eggenfelden
Amtsgericht Landshut, HRB 11952

Geschäftsführer: Alexander Hubloger

akf bank GmbH & Co. KG

IBAN: DE91 2007 0000 0628 5985 27
SWIFT-BIC: DEUTDEHHXXX

Steuer-Nr. 141/128/60143
USt-IdNr. DE328165160