SENTINEL HOLDING
INSTITUT

SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

15070-10-1004

Home Selection Klebevinyl

Product group: Vinyl - Design floors - Floor coverings / Wall coverings

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

Rubik GmbH
Otto-Lilienthal-Str. 1
74626 Bretzfeld-Schwabbach

Product qualities:

- SHI Product Assessment 2024
- QNG Qualitätssiegel Nachhaltiges Gebäude
- DGNB NEW CONSTRUCTION 2023.2
- DGNB NEW CONSTRUCTION 2023
- DGNB NEW CONSTRUCTION 2018
- BNB-BN NEUBAU V2015
- EU TAXONOMY
- BREEAM DE NEUBAU 2018
- LEED v4.1 (outside US)

CERTIFIED SUSTAINABLE PRODUCT
SHI PRODUCT PASSPORT
SENTINEL HOLDING INSTITUT
www.sentinel-holding.eu

Köttner

Helmut Köttner
Scientific Director
Freiburg, 17 August 2026

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

Contents

SHI Product Assessment 2024	1
QNG - Qualitätssiegel Nachhaltiges Gebäude	2
DGNB New Construction 2023.2	3
DGNB New Construction 2023	4
DGNB New Construction 2018	5
BNB-BN Neubau V2015	6
EU taxonomy	7
BREEAM DE Neubau 2018	8
LEED v4.1	9
Product labels	10
Legal notices	11
Technical data sheet/attachments	12

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS TÜV SAAR

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Harmful substance limit	Assessment
SHI Product Assessment	Other floor coverings	TVOC ≤ 160 µg/m^3 Formaldehyd ≤ 10 µg/m^3	Indoor Air Quality Certified
Valid untill: 06 September 2027			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	2.2 Resilient floor coverings – including multilayer systems	VOC / Emissions / hazardous substances / polycyclic aromatic hydrocarbons (PAH) / SVHC / heavy metals	QNG ready
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025. Herstellererklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

DGNB New Construction 2023.2

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact			Not relevant for assessment

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	7 Floor coverings (Resilient floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025. Herstellererklärung vom 19.05.2025.			

Criteria	Assessment
SOC1.2 Indoor air quality (*)	May positively contribute to the overall building score

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	7 Floor coverings for indoor use (elastic floor coverings)	VVOCs, VOC, SVOC emissions and content of hazardous substances	Quality level 3
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025. Herstellererklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

DGNB New Construction 2018

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact	7 Floor coverings (Resilient floor coverings)	VOC / SVOC / hazardous substances	Quality level 4
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025. Herstellererklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

BNB-BN Neubau V2015

The Bewertungssystem Nachhaltiges Bauen (Assessment System for Sustainable Building) is a tool for evaluating public office and administrative buildings, educational facilities, laboratory buildings, and outdoor areas in Germany. The BNB was developed by the former Federal Ministry for the Environment, Nature Conservation, Building and Nuclear Safety (BMUB) and is now overseen by the Federal Ministry for Housing, Urban Development and Building (BMWSB).

Criteria	Pos. / product type	Considered substance group	Quality level
1.1.6 Risiken für die lokale Umwelt	2a Elastic floor coverings – with and without bonded underlay or insulation layer	VOC / hazardous substances / heavy metals	Quality level 3
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025. Herstellererklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

EU taxonomy

The EU Taxonomy classifies economic activities and products according to their environmental impact. At the product level, the EU regulation defines clear requirements for harmful substances, formaldehyde and volatile organic compounds (VOCs). The Sentinel Holding Institut GmbH labels qualified products that meet this standard.

Criteria	Product type	Considered substances	Assessment
DNSH - Pollution prevention and control	Floor coverings (including associated adhesives and sealants)	Stoffe nach Anlage C, Formaldehyd, Karzinogene VOC Kategorie 1A/1B	compliant
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025. Herstellererklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

BREEAM DE Neubau 2018

BREEAM (Building Research Establishment Environmental Assessment Methodology) is a UK-based building assessment system that evaluates the sustainability of new constructions, refurbishments, and conversions. Developed by the Building Research Establishment (BRE), the system aims to assess and improve the environmental, economic, and social performance of buildings.

Criteria	Product category	Considered substances	Quality level
Hea 02 Indoor Air Quality	Flooring materials (including floor levelling compounds and resin flooring)	Emissions: Formaldehyde, TVOC, TSVOC, carcinogens	Exemplary quality
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

LEED v4.1

LEED (Leadership in Energy and Environmental Design) is an internationally recognised building certification system developed by the U.S. Green Building Council. It is one of the most widely used sustainability standards for buildings worldwide and is particularly applied in internationally oriented projects. LEED assesses buildings holistically across categories such as energy efficiency, resource conservation, material selection, indoor environmental quality and site sustainability. Depending on the number of points achieved, projects are awarded one of the certification levels: LEED Certified, Silver, Gold or Platinum.

Criteria	Product category	Considered substances	Assessment
EQ Credit: Low-Emitting Materials	Bodenbeläge	Emissionen: Formaldehyd, VOC, Krebserregende Stoffe	compliant
Verification: Eurofins Ergebniszusammenfassung vom 31.01.2024 (Nr. 392-2023-00576401_A_EN). Materielle Übereinstimmung mit geprüftem Produkt bestätigt durch Konformitätserklärung vom 19.05.2025.			

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.



This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.



Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, “Avoidance of Harmful Substances in Building Materials.” The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.



Eurofins Indoor Air Comfort® confirms compliance with requirements for low VOC emissions. The standard level covers all mandatory VOC regulations in the EU, while the Gold level additionally takes into account emission criteria from voluntary ecolabels and building certifications.

SENTINEL HOLDING
INSTITUT

Product:
Home Selection Klebevinyl

SHI Product Passport no.:
15070-10-1004

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS TÜV SAAR

Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen

TECHNISCHES DATENBLATT

Produktname „Home-SELECTION 2025 Klebe“

PRODUKTDATEN

Europäische Klassifizierung	EN ISO 10874	Klasse 23 - 32
Gesamtdicke	EN ISO 24346	2,35 mm
Flächengewicht	EN ISO 23997	3,821 kg / m²
Format: Planken / Fliesen	EN ISO 24342	19,6 x 132,0 cm 32,9 x 65,9 cm
Nutzschicht	EN ISO 24340	0,40 mm
Rutschklasse Planke / Fliesen	EN 16165	R10 R9
Inhalt pro Box Planken / Fliesen		3,88 m² / 15 St. 3,90 m² / 18 St.
Box Palette: Planken / Fliesen		217,28 m² / 56 Boxen 202,80 m² / 52 Boxen

TECHNISCHE DATEN

Brandverhalten	EN 13501	Bfl-S1
Resteindruckverhalten	EN ISO 24343-1	≤ 0,1 mm Ø gemessen ≤ 0,05 mm
Trittschallverbesserungsmaß	EN ISO 717-2	4 dB
Stuhlrolleneignung	EN 4918	keine Beschädigung der Nutzschicht keine Druckstellen
Möbelfußverschiebung	EN ISO 16581:20219-06	keine sichtbaren Schäden Fuß 0,12 mm /32 kg
Maßstabilität: Planken / Fliesen	EN ISO 23999:2021-11	≤ 0,05 %
Lichtechtheit	EN ISO 105-B02	≤ 6
Wärmedurchlasswiderstand R	EN ISO 12664	0,0100 m² K/W
Antistatik	EN 1815	Körperspannung < 2 kV
Formaldehyd Klassifizierung	EN 717-1	E1
Fleckenempfindlichkeit	EN 438-2	sehr gut
Fußbodenheizung	EN 12524	geeignet max. 27°C
Feuchtraumeignung		geeignet

GARANTIE

20 JAHRE (Wohnbereich) / 7 JAHRE (Objektbereich)

Die Gewährleistung gewährleistet Fabrikationsfehler und frühzeitiges Abnutzen bei normalem Gebrauch.

Rubik GmbH
Otto-Lilientahl-Str.1
74626 Bretzfeld-Schwabbach

Tel. 07946-94 88 710
Fax. 07946-94 88 711

www.rubik-gmbh.de
mail@rubik-gmbh.de

[redacted]

SENTINEL HOLDING INSTITUT

[redacted]

Rubik GmbH

14.05.2025

Details zu den Bewertungskriterie https://www.sentinel-haus.de/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte

Produktname	Bewertungssystem	Kategorie/ Pos. / Zeile	Nachzuweisende Qualität	Mögliches Nachweisdokument
Alle	Übergeordnete Anforderung		Bestätigung, dass SVHC < 0,1% *alternativ:* Deklaration enthaltener SVHC > 0,1%	Herstellererklärung
[redacted] Home Selection Klebevinyl [redacted] Home Selection Klickvinyl	BNB	2a	**QN 3**: Einhaltung AgBB-Schema und reproduktionstoxische Phthalate < 0,1 % und keine Cadmium- und Bleistabilisatoren	Konformitätserklärung Herstellererklärung
	BREEAM	Bodenbeläge	Emissionsanforderung VOC/Aldehyde	Konformitätserklärung
	DGNB	7	**QN 3:** Einhaltung AgBB-Schema und Chlorparaffine (SCCPs + MCCPs + LCCPs) < 0,1 % und SVHC ≤ 0,1 %	Konformitätserklärung Herstellererklärung
	EU-Taxonomie	Bodenbeläge	SVHC und CMR-Stoffe der Kategorie 1A & 1B < 0,1% Emissionsanforderung VOC/Aldehyde	Konformitätserklärung Herstellererklärung
	QNG	2.3	Einhaltung AgBB-Schema und reproduktionstoxische Phthalate < 0,1 % und keine Zinn- Cadmium- und Bleistabilisatoren	Konformitätserklärung Herstellererklärung
	SHI	Bodenbeläge	Grundanforderungen an Inhaltsstoffe	
			Emissionsanforderung VOC/Aldehyde	Konformitätserklärung

Rubik GmbH
Vertrieb von Messe- Design & Objektbelägen
Otto-Lilienthal-Str. 1
74626 Bretzfeld-Schwabbach
Tel. 07946-94 88 710
Fax 07946-94 88 711
www.rubik-gmbh.de

13.05.2025