SENTINEL HOLDING INSTITUT

SHI PRODUCT PASSPORT

Find products. Certify buildings.

SHI Product Passport No.:

12049-10-1040

Akustic TF Twin

Product group: Mineral wool

Saint-Gobain Isover G + H AG
Bürgermeister-Grünzweig-Straße 1
67059 Ludwigshafen

Product qualities:

SHI Product Assessment 2024

QNG Qualitätssiegel Nachhaltiges Gebäude

DGNB NEW CONSTRUCTION 2023

CERTIFIED SUSTAINABLE PRODUCT – SHI PRODUCT PASSPORT – SENTINEL HOLDING INSTITUT – www.sentinel-holding.eu

Köttner

Helmut Köttner
Scientific Director
Freiburg, 14 July 2026

SENTINEL HOLDING
INSTITUT

Product:
Akustic TF Twin

SHI Product Passport no.:
12049-10-1040

isover
SAINT-GOBAIN

Contents

SHI Product Assessment 2024	1
QNG - Qualitätssiegel Nachhaltiges Gebäude	2
DGNB New Construction 2023	3
Product labels	4
Legal notices	5
Technical data sheet/attachments	6

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

SGS TÜV SAAR

SENTINEL HOLDING
INSTITUT

Product:
Akustic TF Twin

SHI Product Passport no.:
12049-10-1040

isover
SAINT-GOBAIN

SHI Product Assessment 2024

Since 2008, Sentinel Holding Institut GmbH (SHI) has been establishing a unique standard for products that support healthy indoor air. Experts carry out independent product assessments based on clear and transparent criteria. In addition, the independent testing company SGS regularly audits the processes and data accuracy.

Criteria	Product category	Assessment
SHI Product Assessment		Indoor Air Quality Certified
Valid untill: 26 January 2029		

SENTINEL HOLDING
INSTITUT

Product:
Akustic TF Twin

SHI Product Passport no.:
12049-10-1040

isover
SAINT-GOBAIN

QNG - Qualitätssiegel Nachhaltiges Gebäude

The Qualitätssiegel Nachhaltiges Gebäude (Quality Seal for Sustainable Buildings), developed by the German Federal Ministry for Housing, Urban Development and Building (BMWSB), defines requirements for the ecological, socio-cultural, and economic quality of buildings. The Sentinel Holding Institut evaluates construction products in accordance with QNG requirements for certification and awards the QNG ready label. Compliance with the QNG standard is a prerequisite for eligibility for the KfW funding programme. For certain product groups, the QNG currently has no specific requirements defined. Although classified as not assessment-relevant, these products remain suitable for QNG-certified projects.

Criteria	Pos. / product group	Considered substances	QNG assessment
3.1.3 Schadstoffvermeidung in Baumaterialien	12.3 Insulation materials made of artificial mineral fibres (AMF)	Hazardous substances / emissions	QNG ready
Verification: RAL Gütezeichen Mineralwolle 01.07.2013			

SENTINEL HOLDING
INSTITUT

Product:
Akustic TF Twin

SHI Product Passport no.:
12049-10-1040

isover
SAINT-GOBAIN

DGNB New Construction 2023

The DGNB System (German Sustainable Building Council) assesses the sustainability of various types of buildings. It can be applied to both large-scale private and commercial projects as well as smaller residential buildings. The 2023 version sets high standards for ecological, economic, socio-cultural, and functional aspects throughout the entire life cycle of a building.

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 03.05.2024 (3rd edition)	not applicable		Not relevant for assessment

Criteria	No. / Relevant building components / construction materials / surfaces	Considered substances / aspects	Quality level
ENV 1.2 Local environmental impact, 29.05.2025 (4th edition)	40b Insulation boards and mats made of synthetic mineral fibres	Hazardous substances / emissions	Quality level 4
Verification: Blauer Engel 24.06.25 und Auslobung Technisches Datenblatt 31.01.2026			

SENTINEL HOLDING INSTITUT

Product:
Akustic TF Twin

SHI Product Passport no.:
12049-10-1040

isover SAINT-GOBAIN

Product labels

In the construction industry, high-quality materials are crucial for a building's indoor air quality and sustainability. Product labels and certificates offer guidance to meet these requirements. However, the evaluation criteria of these labels vary, and it is important to carefully assess them to ensure products align with the specific needs of a construction project.

Eurofins Indoor Air Comfort® confirms compliance with requirements for low VOC emissions. The standard level covers all mandatory VOC regulations in the EU, while the Gold level additionally takes into account emission criteria from voluntary ecolabels and building certifications.

The IBU ("Institut Bauen und Umwelt e.V.") is an initiative of building product manufacturers committed to sustainability in construction. It serves as the programme operator for Environmental Product Declarations (EPDs) in accordance with the EN 15804 standard. The IBU EPD programme provides comprehensive life cycle assessments and environmental impact data for construction products, supported by independent third-party verification.

This product is SHI Indoor Air Quality certified and recommended by Sentinel Holding Institut. Indoor-air-focused construction, renovation, and operation of buildings is made possible by transparent and verifiable criteria thanks to the Sentinel Holding concept.

Products bearing the Sentinel Holding Institute QNG-ready seal are suitable for projects aiming to achieve the "Qualitätssiegel Nachhaltiges Gebäude" (Quality Seal for Sustainable Buildings). QNG-ready products meet the requirements of QNG Appendix Document 3.1.3, "Avoidance of Harmful Substances in Building Materials." The KfW loan program Climate-Friendly New Construction with QNG may allow for additional funding.

Product:
Akustic TF Twin

SHI Product Passport no.:
12049-10-1040

Legal notices

(*) These criteria apply to the construction project as a whole. While individual products can positively contribute to the overall building score through proper planning, the evaluation is always conducted at the building level. The information was provided entirely by the manufacturer.

Find our criteria here: https://www.sentinel-holding.eu/de/Themenwelten/Pr%C3%BCfkriterien%20f%C3%BCr%20Produkte

The SHI Database is the first and only database for construction products whose comprehensive processes and data accuracy are regularly verified by the independent auditing company SGS-TÜV Saar

Publisher

Sentinel Holding Institut GmbH
Bötzinger Str. 38
79111 Freiburg im Breisgau
Germany
Tel.: +49 761 590 481-70
info@sentinel-holding.eu
www.sentinel-holding.eu



Akustic TF Twin

Trennwand-Filz

Anwendung
Hohlraumfüllung von Metall- und Holzständerwänden zum Schall- und Brandschutz. Geeignet für F 30- bis F 90-Konstruktionen.

- Anteil Recycling-Glas: bis zu 80%
- Wärmeleitgruppe 040
- Anwendungsgebiete DIN 4108-10: WTR
- Euroklasse A1 nichtbrennbar
- 2 Artikel in einem Produkt: Dicke 40 mm und 80 mm
- Rollfilz für eine schnelle Verlegung
- Strömungswiderstand AFr ≥ 5 kPa·s/m²
- LABS-konform



LABS konform

SAINT-GOBAIN ISOVER G+H AG · Bürgermeister-Grünzweig-Straße 1 · 67059 Ludwigshafen
www.isover.de

Akustic TF Twin

Trennwand-Filz

Material
Lanaé Mineralwolle, gebunden mit einem in weitesten Teilen natürlichen Bindemittel, basierend auf Stoffen aus der Zucker- und Getreideproduktion, und hergestellt nach dem Glaswolle-Produktionsverfahren von SAINT-GOBAIN ISOVER, mit RAL-Gütezeichen der Gütegemeinschaft Mineralwolle e. V. und EUCEB-Zertifikat, freigezeichnet nach Gefahrstoffverordnung, Chemikalienverbotsverordnung und Verordnung (EG) Nr. 1272/2008 Anmerkung Q.

Anwendungsgebiete nach DIN 4108-10
WTR: Dämmung von Raumtrennwänden

Verarbeitungshinweise
- Akustic TF Twin Paket (2 Rollen) halbieren, ohne die Verpackung zu entfernen.
- Zweilagigen Filz in Gefach eindrücken, ausrollen und zuschneiden.
- Ggf. Anheben der oberen Lage zur Verwendung im Nachbargefach.
- Für die akustische Entkopplung wird der Metallständer mit dem Mineralwolle-Randstreifen Akustic ES 1 hinterlegt.

Lagerungshinweis
In der Einzelverpackung, trocken und gegen mechanische Beschädigung geschützt lagern. Vorsichtig transportieren, nicht werfen. Kartonverpackte Produkte nicht auf Kante oder Ecke absetzen.

Technische Eigenschaften

Eigenschaft	Zeichen	Einheit	Kenngrößen und Messwerte	Norm
Bemessungswert der Wärmeleitfähigkeit	λ	W/(m·K)	0,040	DIN 4108-4
Nennwert der Wärmeleitfähigkeit	λ_D	W/(m·K)	0,039	DIN EN 13162
Wärmeleitgruppe	WLG		040	
Euroklasse			A1 nichtbrennbar	DIN EN 13501
Temperaturverhalten		°C	Verwendung bis 150	
Spezifische Wärmekapazität	c	kJ/(kg·K)	1,03	DIN EN ISO 10456
Grenzabmessung für die Dicken	T		2	DIN EN 13162
Längenbezogener Strömungswiderstand	AF	kPa·s/m²	≥ 5	DIN EN 13162
Glimmverhalten	NoS		Gemäß MVV-TB, Anhang 4, lfd. Nr. 1.3 Die Prüfung wurde bestanden: das Produkt zeigt keine Neigung zum kontinuierlichen Schwelen.	DIN EN 16733
Silikonfreiheit			frei von Emissionen von lackbenetzungsstörenden Substanzen	VW PV 3.10.7/3.2.1
Wasserdampf Diffusionswiderstandszahl	μ		1	DIN EN ISO 10456

Lieferformen DE

Bestell-Nr.	R_D-Wert	m²/Paket	Pakete/Palette	m²/Palette	Abmessung mm	Dicke mm
7830280	2,05	9,3750	18,000	168,750	7500 × 625	80

Paket = 2 Rollen

Die Angaben in dieser technischen Information entsprechen dem Stand unseres Wissens und unserer Erfahrungen bei Drucklegung (vgl. Druckvermerk). Sofern nicht ausdrücklich anders vereinbart, stellen sie jedoch keine Garantie im Rechtssinne dar. Der Wissens- und Erfahrungsstand entwickelt sich stets weiter. Achten Sie deshalb bitte darauf, die neueste Auflage dieser technischen Informationen zu verwenden (zugänglich im Internet unter „www.isover.de“). Die beschriebenen Produktanwendungen können besondere Verhältnisse des Einzelfalles nicht berücksichtigen. Prüfen Sie deshalb unsere Produkte auf ihre Eignung für den konkreten Anwendungszweck. Wir liefern ausschließlich auf Grundlage unserer Allgemeinen Verkaufs- und Lieferbedingungen.

SAINT-GOBAIN ISOVER G+H AG · Bürgermeister-Grünzweig-Straße 1 · 67059 Ludwigshafen
www.isover.de

Verleihungsurkunde

Die Gütegemeinschaft Mineralwolle e.V.
verleiht hiermit aufgrund des ihrem Güteausschuss
vorliegenden Prüfberichts

Saint-Gobain ISOVER G+H AG

(dem Unternehmen)

das vom RAL Deutsches Institut
für Gütesicherung und Kennzeichnung e.V.
anerkannte und durch Eintrag beim
europäischen Harmonisierungsamt für den Binnenmarkt
als Marke angemeldete und geschützte

Gütezeichen "Erzeugnisse aus Mineralwolle"

RAL
GÜTEZEICHEN
Erzeugnisse aus
MINERALWOLLE

Rossdorf bei Darmstadt, den 1. Juli 2013

Gütegemeinschaft Mineralwolle e.V.

Der Vorsitzende des Vorstands